

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	15	chip with design\$3 with gui	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 10:19
S2	41	(chip soc semiconduc\$4) with design\$3 with gui	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 16:31
S3	26	(chip soc semiconduc\$4) with design\$3 with gui not S1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 16:34
S4	340	(chip soc semiconduc\$4 device) with design\$3 with gui not S1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 16:34
S5	340	(chip soc semiconduc\$4 device\$2) with design\$3 with gui not S1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 16:39
S6	119	(chip soc semiconduc\$4 device\$2) with design\$3 with gui not S1 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 16:41
S8	9	(chip soc semiconduc\$4 device\$2) with design\$3 with gui not S1 and database and (available near3 resource\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 16:46
S9	20343	resource with management	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 16:46
S10	20346	resource\$2 with management	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 16:46

S11	31714	resource\$2 with manage\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 16:46
S12	2347	resource\$2 with manage\$6 same design\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 16:47
S13	17	resource\$2 with manage\$6 same design\$2 same gui	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 16:48
S14	485	resource\$2 with manage\$6 same design\$2 and gui	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 16:48
S15	641	resource\$2 with manage\$6 same design\$5 and gui	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 16:49
S16	522	resource\$2 with manage\$6 same design\$5 and gui and hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 16:49
S18	165	vhdl and resource and planning	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 16:49
S19	0	vhdl same resource same planning	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 16:50
S20	39	vhdl and resource same planning	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 16:50
S21	3	vhdl and resource same planning and gui	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 17:09

S23	9	resource with placement with locator	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 17:11
S24	109	resource with (placement layout placement routing) with locator	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 17:12
S25	6280	resource with (placement layout placement routing)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 17:12
S26	6280	resource with (placement layout routing)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 17:12
S27	265	resource with (placement layout routing) and hardware with database	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 17:13
S28	22	resource with (placement layout routing) and hardware with database and soc	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 17:16
S29	0	resource with (placement layout routing) and hardware with database and (gui with soc)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 17:19
S30	216	"716"/\$ and database and gui	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 17:20
S31	164	"716"/\$[ccls] and database and gui	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/18 17:20
S32	35	("4580228"   "4686629"   "4815003"   "4918614"   "5224056"   "5237514"   "5249133"   "5267176"   "5303161"   "5311443"   "5349536"   "5363313").PN. OR ("5696693").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 17:35

S33	304	allowable with placement	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 17:35
S34	164	"716"/\$[ccls] and database and gui	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/19 11:25
S35	304	allowable with placement	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/19 11:25
S36	0	S35 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/19 14:12
S37	12	(rout\$4 adj allow\$6) with placement	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/19 14:13
S38	0	((system\$1on\$3chip) same layout)[ab]	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 12:52
S39	2441	(system\$1on\$3chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 10:20
S40	0	((System-on-chip) same layout). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 11:21
S41	5	((System-on-chip) same layout). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 11:21
S42	0	((System-on-chip) same layout). AB.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 11:21

S43	16	((system\$1on\$3chip soc) same layout)[ab]	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:53
S44	5	((System-on-chip) same layout). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:53
S45	11	((system\$1on\$3chip soc) same layout)[ab] not S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:54
S46	11	((system\$1on\$1chip system\$1on\$1a\$1chip soc) same layout)[ab] not S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:54
S47	11	((system\$1on\$1chip system\$1on\$1a\$1chip system-on-chip soc) same layout)[ab] not S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:55
S48	11	((system\$1on\$1chip system\$1on\$1a\$1chip system-on-chip "system on chip" soc) same layout)[ab] not S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 13:01
S49	106	((system\$1on\$1chip system\$1on\$1a\$1chip system-on-chip "system on chip" soc) same layout)[detd] not S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 13:03
S50	4	((system\$1on\$1chip system\$1on\$1a\$1chip system-on-chip "system on chip" soc) same layout same database)[detd]	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 13:04

S51	2	((system\$1on\$1chip system\$1on\$1a\$1chip system-on-chip "system on chip" soc) same layout same gui)[detd]	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 13:09
S52	6	((system\$1on\$1chip system\$1on\$1a\$1chip system-on-chip "system on chip" soc) same layout and gui)[detd]	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 13:11
S53	32	((system\$1on\$1chip system\$1on\$1a\$1chip system-on-chip "system on chip" soc) same gui)[detd]	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 13:20
S55	1	6269467[pn]	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 13:23
S56	3020	ip same soc	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 13:23
S57	333	(ip same soc)[detd]	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 13:23
S58	153	(ip same soc)[detd] and @ad<"20011119"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 13:24
S59	149	(ip same soc)[detd] and @ad<"20011119" not "709"/\$[ccor]	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 13:32
S60	315	"716"/\$[ccls] and gui	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 13:32

S61	37	"716"/\$[ccls] and gui and soc	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 13:40
S62	11	"716"/\$[ccls] and gui and soc and @AD<"20011119"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 13:40
S63	3	09/525184	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 15:28
S64	4	soc with gui with eda	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 15:29
S65	4	soc same gui same eda	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 15:29
S66	0	soc same gui same eda not S64	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 15:29
S67	5	soc same gui and eda not S64	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 15:30
S68	0	(floor with planner) same eda same gui and soc	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 15:31
S69	2	(floor with planner) same eda and gui and soc	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 15:31
S70	2	(floor with planner) same eda and soc	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 15:31

S71	2	(floor with plan\$3) same eda and soc	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 15:31
S72	2	(floor with plan\$4) same eda and soc	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 15:32
S73	12	(floor with plan\$4) and eda and soc	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/21 15:32
S74	1	20020016706[pn]	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 10:56
S75	1	5,838,583[pn]	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 16:08
S76	486	703/27[ccls]	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 16:09
S77	814	703/14[ccls]	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 16:10
S78	744	703/13[ccls]	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 16:10
S79	888	716/8[ccls]	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 16:12
S80	813	716/12[ccls]	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 16:11



S81	608	716/8[ccls] and @ad<"20011119"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/22 16:13
-----	-----	--------------------------------	---	----	----	------------------